



BMS
BETON MAKİNE SERVİS LTD. ŞTİ.

“Build Your Dreams With Us”

BLP 14-09

LINE CONCRETE PUMP



LINE PUMP / TECHNICAL DETAILS

OUTPUT (PISTON SIDE)	86 m ³ /h	DELIVERY CYLINDER	Ø 200x1400
DELIVERY PRESSURE (PISTON SIDE)	106 BAR	HYDRAULIC CYLINDER	Ø 110x63-1400st
STROKES / MINUTE (PISTON SIDE)	32	TRANSFER TUBE	S-2015
HOPPER CAPACITY	400 LT	HYDRAULIC TANK	250 LT
LINE CONNECTION	ZX, 6"	CONTROL SYSTEM	FFH - CLOSED SYSTEM
WATER TANK	700 LT	COOLER	EMMEGI (HYDRAULIC)
GEAR BOX	STIEBEL G64 (i=0659)	MAIN PUMP	REXTROTH A4VG180
REAR OUTTRIGGER	✓	REMOTE CONTROL	HBC 511
		WEIGHT	4500 KG



BMS
BETON MAKİNE SERVİS LTD. ŞTİ.

“Build Your Dreams With Us”

BLP 14-07

LINE CONCRETE PUMP



LINE PUMP / TECHNICAL DETAILS

OUTPUT (ROD SIDE)	77 m ³ /h	DELIVERY CYLINDER	Ø 200x1400
OUTPUT (PISTON SIDE)	52 m ³ /h	HYDRAULIC CYLINDER	Ø 110x63-1400st
DELIVERY PRESSURE (ROD SIDE)	71 BAR	TRANSFER TUBE	S-2015
DELIVERY PRESSURE (PISTON SIDE)	106 BAR	HYDRAULIC TANK	250 LT
STROKES / MINUTE (ROD SIDE)	29	CONTROL SYSTEM	FFH - CLOSED SYSTEM
STROKES / MINUTE (PISTON SIDE)	20	COOLER	EMMEGI (HYDRAULIC)
HOPPER CAPACITY	400 LT	MAIN PUMP	REXROTH A4VG125
LINE CONNECTION	ZX, 6"	REMOTE CONTROL	HBC 511
WATER TANK	700 LT	WEIGHT	4500 KG
GEAR BOX	STIEBEL G64 (i=0659)		
REAR OUTTRIGGER	X		



BMS
BETON MAKİNE SERVİS LTD. ŞTİ.

“Build Your Dreams With Us”

BLP 14-09

LINE CONCRETE PUMP



LINE PUMP / TECHNICAL DETAILS

OUTPUT (PISTON SIDE)	86 m ³ /h
DELIVERY PRESSURE (PISTON SIDE)	106 BAR
STROKES / MINUTE (PISTON SIDE)	32
HOPPER CAPACITY	400 LT
LINE CONNECTION	ZX, 6"
WATER TANK	700 LT
GEAR BOX	STIEBEL G64 (i=0659)
REAR OUTTRIGGER	✓

DELIVERY CYLINDER	Ø 200x1400
HYDRAULIC CYLINDER	Ø 110x63-1400st
TRANSFER TUBE	S-2015
HYDRAULIC TANK	250 LT
CONTROL SYSTEM	FFH - CLOSED SYSTEM
COOLER	EMMEGI (HYDRAULIC)
MAIN PUMP	REXTROTH A4VG180
REMOTE CONTROL	HBC 511
WEIGHT	4500 KG



BMS

BETON MAKİNE SERVİS LTD. ŞTİ.

“Build Your Dreams With Us”

BLP 14-07

LINE CONCRETE PUMP



LINE PUMP / TECHNICAL DETAILS

OUTPUT (ROD SIDE)	77 m ³ /h
OUTPUT (PISTON SIDE)	52 m ³ /h
DELIVERY PRESSURE (ROD SIDE)	71 BAR
DELIVERY PRESSURE (PISTON SIDE)	106 BAR
STROKES / MINUTE (ROD SIDE)	29
STROKES / MINUTE (PISTON SIDE)	20
HOPPER CAPACITY	400 LT
LINE CONNECTION	ZX, 6"
WATER TANK	700 LT
GEAR BOX	STIEBEL G64 (i=0659)
REAR OUTTRIGGER	X

DELIVERY CYLINDER	Ø 200x1400
HYDRAULIC CYLINDER	Ø 110x63-1400st
TRANSFER TUBE	S-2015
HYDRAULIC TANK	250 LT
CONTROL SYSTEM	FFH - CLOSED SYSTEM
COOLER	EMMEGI (HYDRAULIC)
MAIN PUMP	REXROTH A4VG125
REMOTE CONTROL	HBC 511
WEIGHT	4500 KG